PRIVATE ADVERTISEMENTS

IN THE COURT OF THE DISTRICT JUDGE, CIVIL STATION, BANGALORE.

Miscellaneous Application No. 149 *of* 1949-50.

Mrs. Florance Ethel Scott ... ... *Applicant.*

In the matter of the estate of the late Cecil Melville Lerede Scott.

Whereas the Executrix of the Will of the deceased abovenamed has applied to this Court for Probate of the Will of the said deceased who died at Civil Station, Bangalore on or about the 17th day of February 1950 and the 5th day of June 1950 has been fixed for the hearing of the application.

All persons claiming to have any interest in the estate of the deceased are hereby called upon to come and see the proceedings on or before the said 5th day of June 1950.

Given under my hand and the seal of the Court, this 17th day of May 1950.

J. RUDRAPPA,
Dist. Judge.

1577

Mis. No. 157—1949-50.

Miss Gladys Marion Luxa ... *Applicant.*

In the matter of the application of Miss Gladys Marian Luxa to be appointed guardian and Manager of the person and property of Mrs. Ethel Frances Luxa, and of the guardian of the person of Mrs. Ethel Burne, Lunatics, care of the Superintendent, Mental Hospital, Bangalore City.

Whereas the petitioner, resident of No. 7, Bride Street, Langford Town, Bangalore, claiming to be daughter and sister respectively of the lunatics abovenamed, has applied to this court for a certificate of guardian and managership of the person and property of the said lunatics, notice is hereby given of the said application and the 27th day of May 1950 has been fixed for the hearing of the same; all persons claiming to have any interest in the said minors are hereby called upon to come and see the proceedings on or before the said 27th day of May 1950 at 11 A.M.

Given under my hand and the seal of the court this 27th day of March 1950.

K. C. LINGIAH GOWDER,
Dist. Judge.

1655

Miscellaneous Application No. 163—49-50.

Rev. Mother Superior Mother Patrick, St. Michael's Convent, Old Madras Road, Bangalore ... *Applicant.*

In the matter of the estate of the late Mrs. Mary Josephine Martha Mounsey.

Whereas the above applicant, executrix of the deceased abovenamed, has applied to this Court for Letters of Administration of the said deceased who died at St. Michael's Convent, Bangalore, on or about the 9th day of January 1950, and the 5th day of June 1950 has been fixed for the hearing of the application:

All persons claiming to have any interest in the estate of the deceased are hereby called upon to come and see the proceedings, on or before the said 5th day of June 1950.

Given under my hand and the seal of the Court, this 16th day of May 1950.

189

Miscellaneous Application No. 1 *of* 1950-51.

Constance Eveline Nicholas, 3 Cleveland Road, Civil Station, Bangalore ... *Applicant.*

In the matter of the estate of the late Henry Joseph Nicholas.

Whereas the applicant Executrix of the deceased abovenamed, has applied to this Court for the grant of Probate of the said deceased who died at Bangalore on or about the 17th day of March 1950, and the 5th day of June 1950 has been fixed for the hearing of the application.

All persons claiming to have any interest in the estate of the deceased are hereby called upon to come and see the proceedings, on or before the said 5th day of June 1950.

Given under my hand and the seal of the Court, this 18th day of May 1950.

J. RUDRAPPA,
Dist. Judge.

202

IN THE COURT OF THE MUNSIFF AT MADHUGIRI.

Miscellaneous Case No. 1—50-51.

(1) Venkataramaiah, Smartha Brahmin, aged 42 years, residing at Veerabhadrapet, Dodballapur, (3) M. Shamanna, Deputy Clerk, District Board Office, Hassan, Smartha Brahmin, 38 years. (All sons of Appu Rao, deceased) ... ... *Petitioners.*

vs.

Nil ... ... *Respondents.*

In the matter of the estate of Janakamma ... *Deceased.*

Whereas the aforesaid petitioners, claiming to be the successors of the said Janakamma, deceased, have applied to this Court for a certificate under Section 6 (5) of Succession Certificate Act VII of 1901, to collect debts of Janakamma, deceased, who died at Tumkur.

Notice is hereby given of the said application and all the claimants in the estate of the said Janakamma, deceased, are invited to appear in this Court on the 16th day of June 1950 at 11 A.M., when the petition of the said applicants will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 17th day of May 1950.

SCHEDULE.

Rs. 985-2-9 which is in deposit in the Madhugiri Town Co-operative Society in the name of Janakamma, deceased.

M. G. RAMAIAH,
Munsiff.

190

IN THE COURT OF THE SUBORDINATE JUDGE AT MYSORE.

Miscellaneous Case No. 98—1949-50.

Janab Mir Nusrath Hussain, aged about 10 years, son of Janab Mir Inayeth Hussain, Traffic Manager, Mysore State Railway, Mysore, residing at Railway Quarters, Mysore Railway, Mysore, (Vanivilas Mohalla) by guardian Janaba Mir Inayeth Hussain, Mysore.

... ... *Petitioner.*

vs.

Nil ... *Respondent.*

In the matter of the estate of Janaba Mrs. Athia Inayeth Hussain ... *Deceased.*

Whereas the above petitioner, resident of Railway quarters, Mysore State Railway, Mysore, claiming to be the successor of Janaba Mrs. Athia Inayeth Hussain, has applied to this Court for a certificate under Section VI of the Mysore Succession Certificate Act, to collect the debts payable in respect of the estate of Janaba Mrs. Athia Inayeth Hussain, resident of Railway quarters, Mysore State Railway, Mysore.

Notice is hereby given of the said application and all claimants in the estate of the said Janaba Mrs. Athia Inayeth Hussain, are invited to appear in this Court on the 29th day of May 1950, has been fixed the hearing, when the petition of the said Janab Mir Nusrath Hussain, will be heard and the right to the certificate will be determined.

Given under my hand and the seal of the Court, this 20th day of May 1950.

SCHEDULE.

Shares from 35385 to 36399 in Mysore Bank, Mysore, face value being at the rate of Rs. 100 and market value at present being Rs. 240 per share.

C. V. CHANNAPPA,
Subordinate Judge.

204

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Dated 9th May 1950.

To

The Firms dealing in Centrifugal pump and Air Compressor.

Enquiry No. 9971.

Subject :—Machinery required for improvement of water supply to Chikballapur Town.

Dear Sir/Gentlemen,

No. S.P.C. 14866-80. Please be good enough to intimate your best prices and the earliest time of delivery for the materials noted below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of

event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Machinery required for improvement of water supply to Chikballapur Town" with the above enquiry number.

This enquiry will be closed on the 10th June 1950.

SCHEDULE.

SPECIFICATION FOR EACH SET.

I. The Air Compressor driven by an electric motor to run on a power supply of 220 volts 25 cycles and 3 phase at present and on 400 volts 50 cycles 3 phase later on and capable of dealing with 5,600 gallons per hour from the three bore-wells having the following details:—

Bore-well No.	Dia.	Depth	Yield in Gals.—hr.	Normal water level below G.L.	Water level below G.L. While pumping
1 ...	7"	105'	1,600	8'	15' (Approximate)
2 ...	6"	89'	3,000	10'	23' "
3 ...	6"	150'	1,000	15'	25'

The water is to be lifted from the three bore-wells to a common sump pit of 9,000 gallons capacity located near the pumphouse. A sketch showing the relative positions of the sump pit is enclosed, In all cases the water will have to be lifted to a height of 10' above the ground level to enable water being drawn by gravity into the sump pit.

All accessories like the starter for the motor, air receiver, etc., must be included in the quotation.

II. A centrifugal pump capable of discharging 120 gallons per minute against a total head of 150' from all causes, directly coupled to an electric motor of about 10 H. P. by means of a flexible coupling. The motor is to be run on a power supply of 220 volts, 3 phase and 25 cycles at present and on 400 volts, 50 cycles and 3 phase later on. All accessories like starter, auction and delivery valves, priming funnel, etc., to be supplied.

N.B.—1, Firm prices and from ready stock are preferred.
2. The sales-tax should be quoted separately by the tenderers.

1297

Dated 10th May 1950.

To

The Firms dealing in Machinery.

Enquiry No. 9976.

Subject:—Machinery for Mysore Implements Factory, Hassan.

Gentlemen,

No. S.P.C. 14795-814. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below:—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Machinery for Mysore Implements Factory, Hassan" with the above enquiry number.

This onquiry will be closed on the 15th June 1950.

SCHEDULE.

	Quantity required.	Price quoted F.O.R.
1 Patent Special Shearing Machine with spring bar stop with one set of cutters for one dimenson of bars and arrangements for electrical individual drive by gear. The motor shall be of universal type suitable for both 25 and 50 cycles.	1 ...	Hassan.
2 Single Column Eccentric Press with single acting solid forging with variable slide stroke, adjustment of slide position modern quickly working rotary key-clutch safety device against return stroke and dead head brake, arranged for electrical individual drive by 'V' belt with tool holders and complete die tested for one piece within the capacity of the press—Universal type of motor suitable both for 25 and 50 cycles	1 ...	Do
3 Double Forging Rolling Machine for rolling Mumties and Pickaxes with one complete tool for one piece within the capacity of the machine with feeding and stop device arranged for individual electric drive—Universal type of motor suitable for 25 and 50 cycles.	1 ...	Hassan.
4 Electric Melting Furnace with 1 to 2 cwt. capacity for melting steel scrap, etc., for Transformer switches, etc.	1 ...	Do
5 Heavy duty Hollow Spindle Lathe to take shafts up to 3" dia. with screw cutting and self-acting arrangement motor coupled—Universal type suitable for 25 and 50 cycles.	1 ...	Do
6 Tool Makers' Lathe with individual drive 37 spring collets, blank steps and closers, etc., complete with drill chuck, milling and grinding attachment, square saw table dividing attachment—Universal type of motor for 25 and 50 cycles.	1 ...	Do
7 Turret Lathe 4-1/16" Swing overbed with pole reversing motor with spring collet, tap holder, die holder, tool holder for turret carriages, etc.,—Universal type of motor 25 and 50 cycles.	1 ...	Do
8 Engraving and Die Sinking Machine with pantagraph arrangement—Horizontal 15"—Cross 12" height 9".	1 ...	Do
9 Radial Drilling Machine with 4' arm, and drilling capacity up to 1-1/2" on steel.	1 ...	Do
10 Planing Machine with motor universal type suitable for both 25 and 50 cycles—6 to 8 ft. bed and 2 to 2-1/2" wide with quick return motion, etc.	1 ...	Do
11 Spare Electric Motors suitable for 25 and 50 cycles, 3 H.P., 5 H.P., 7-1/2 H.P., 10 H. P., 15 H.P. and 25 H. P.	1 ...	Do
12 Universal Milling Machine with adjustable graduated Index Blade and Universal dividing Head, armoured shaft 1-1/4" with motor universal type suitable for 25 and 50 cycles.	1 ...	Do
13 Foundry Equipment, cupola with blowers coupled with motor capacity 1,800 C.ft. of air and one ton metal.	1 ...	Do

N.B.—1 Quotations with firm prices and delivery F.O.R. Hassan are preferred.
2 Sales-Tax should be indicated separately.
3 The quotations will be opened at 12 NOON on the next working day after the closing date.

1320

Dated 10th May 1950.

To

The firms dealing in Oil and Soap Manufacturing equipment.

ENQUIRY No. 9979.

Subject.—Equipment for Oil and Soap Technology.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Equipment for Oil and Soap Technology" with the above enquiry number.

This enquiry will be closed on the 15th June 1950.

SCHEDULE

F.O.R. DAVANGERE, MYSORE STATE.

As per attached schedule.

Note.—1. Firm prices will be preferred.
2. Sales Tax should be quoted separately.
3. The quotations will be opened at 12 Noon on the next working day after the closing date of the enquiry.

LIST OF EQUIPMENT REQUIRED FOR THE OCCUPATIONAL INSTITUTE AT DAVANGERE.

EQUIPMENT FOR OIL AND SOAP TECHNOLOGY.

Sl. No.	*Particulars*	*Number required*
	Oil Refining Plant (Capacity One ton per 8-hour day)	
1.	Double drive oil expeller complete with Tempering apparatus, totally enclosed with	

Sl. No.	Particulars	Number required
	sheet steel covers. Capacity—On first pressing 5 cwts. of seeds per hour 10/12 B.H.P. Maximum expression at single pressing 4/5 cwts. per hour, 12/15 B.H. The Expeller should include the following spares :— (*a*) One quill worm, (*b*) three discharge worms and one quill worm extension, (*c*) one pair knife bars and one cone point	One
2.	Decorticator to suit the above	One
3.	Direct driven Centrifugal Oil Pump for pumping the crude oil to the neutraliser. Pump should be driven by a suitable motor. The pump and motor should be mounted on a common bed plate. Capacity of the pump ten gallons per minute	One
4.	Chemical Tanks of M. S. complete with steam coils all necessary inlets and outlets connection to be used for caustic Soda, Brine and hot water	Three
5.	Doser Tank of M. S. for measuring the dose required for neutralising	One
6.	Neutraliser M. S. vessel of opened top type with the following accessories—1 ton capacity : (*a*) Steam heating coils, (*b*) Spray pipes, (*c*) Decanting pipe, (*d*) Run off connection for the Soap stock and refined oil, (*e*) Oil inlet, (*f*) Agitation to be provided by an efficient stirrer mounted on a vertical shaft and driven by a two speed motor through a totally enclosed reduction gear	One
7.	Setting Tank of M. S. for deviling the soap stock from the neutraliser. The vessel to be complete with stirrer closed steam coil and swivel pipes for drawing off the separated oil	One
8.	Combined washing and bleaching vessel of capacity, one ton, made of M. S., a vessel is to be suitable for working under vacuum and fitted with the following equipment :— (*a*) One combined closed steam heating and water cooling coil, (*b*) Brine and hot water coil with removable spray jets, (*c*) Necessary connections for oil vacuum, bleaching earth and air cock removable man-hole cover light and slight glasses, (*d*) A sampler tube of special construction to enable samples to be taken while the vessel is under vacuum, (*e*) efficient stirrer with motor and reduction gear complete	One
9.	High vacuum equipment for providing a vacuum not less than 27·5 inches in the washer, bleacher and others and should consist of the following :— (*a*) One Barometric condenser, (*b*) One steam ejector, (*c*) One seal tank	One set
10.	Separater Tank of M. S. for recovery of any oil carried away by wash water leaving the washer and bleacher	One
11.	Filter press of plate and frame type (non-washing) The press to be suitable for working under pressure of 12″×12″ ..	One
12.	One duplex steam pump for working in conjection with the above	One
13.	One set of all necessary piping steam, water, oil and vacuum lines interconnecting the above plant	One
14.	One set of valves, cocks and steam traps necessary for the correct operationary plant ..	One
15.	One set of Thermometers, pressure gauges, vacuum gauges and other instruments required	One set
16.	Main Crude oil storage tank of M. S., fitted with steam heater coils of capacity of 10 tons ..	One
17.	One soaps stock tank of M. S. fitted with steam-heater coils 500 cwts. Soda slaking Tank of M. S. 500 cwt.	One

Sl. No.	Particulars	Number required
	DEODORISERS.	
19.	Deodoriser of M. S. fitted with close steam heating coils and coils for superheated steam a special still head complete with baffle plate vomit tube heat resisting light and sight glasses, etc., of capacity of one ton..	One
20.	Centrifugal pump of capacity of ten gallons per minute	One
21.	Fatty acid catch vessel to work in conjunction with the deodorisers	One
22.	Fatty Acid receiving vessel	One
23.	One set vacuum equipment for providing vacuum not more than 12 milimeters of mercury absolute pressure in the deodorizer and cooler and should consist of the following :— (*a*) One barometric Condenser, (*b*) one seal tank, (*c*) one augmenter, (*d*) one two stage ejector, (*e*) one quick starting booster	One
24.	Steam drier for producing superheated steam ..	One
25.	One set of necessary pipings for steam, water, oil and vacuum lines	One
26.	One set of valves, cocks, steam traps, pressure and vacuum gauges, etc., necessary ..	One
27.	Polishing Press of totally enclosed type with single outlet 12″×12″ 10 plates, one steam pump to work in conjunction with the above one air compressor capable of compressing up to 150 lbs. with necessary motor and stirrer	One
28.	Tank for deodorized oil	One
29.	Steam boiler of capacity of 150 to 200 lbs. per sq. inch preferably electrically heated of capacity 4,000 lbs. per day ..	One
	HYDROGENATION UNIT TO HANDLE ONE TON OF OIL PER CHARGE WITHOUT POST NEUTRALISER AND POST BLEACHER.	
30.	Convertor of suitable dimensions with dished bottom constructed of M. S. complete with electrical heaters and necessary insulation..	One
31.	Steel Agitator with variable type motor, starter, base and pulley	One
32.	Control panel complete with switches and push buttons and temperature recording instruments	One
33.	Oil Transfer pump with motor and starter ..	One
34.	Filter Press, cast iron plates and frame type with steam heated head plates	One
35.	Supporting frame of welded steel construction	One
36.	Filter cloth for the above	One
37.	One set of thermometers and gauges ..	One
38.	Set of valves, pipes and fittings	One
39.	Set of electrolizer complete with AC/DC Convertor	One
40.	A single stage compressor to handle the hydrogen gas, necessary for the operation.. ..	One
	LABORATORY SOAP PLANT—TO DEAL WITH 1,000 LBS. HOUSEHOLD SOAP PER DAY.	
1.	2″ dia. Hand pump, semi-rotary, wing type, cast iron with brass valves, capable of pumping 1,800 gallons per hour	One
2.	Mild Steel Soap Boiling Pan, 7′×8′ deep on straight, having dished bottom ¼″ thick. The side plates being ⅜″ thick, the whole of welded construction and reinforcing angle fixed round top of pan .. .. Inside the vessel should be fitted with two steam coils, one open and the other closed, the loads running up side of pan, the end of each fitted with suitable wheel valve. Two mild steel outlet blocks to be fixed on pan, one at the side for skimmer pipe connections, the other at the bottom each equipped with suitable cast iron plug cock.. A hinged skimmer pipe fishtailed at the end and complete with strainer, will be fitted, the pipe being operated by a small winch situated on top of pan, a steel chain connecting the two units. On the outside of vessel, will be secured steel supports arranged at a	One

Sl. No.	Particulars	Number required
3.	Mild steel Soap Crutching Pan 7'×3' deep, jacketed two thirds up sides and bottom. Rolled steel channels bridge secured with steel angle brackets, Fast and loose pulleys and belt shifting gear. Vertical agitating shaft with crown wheel and fitted with beaters. Fixed beaters studded to shell plate on inside	—
	Cast iron treacle valve and operating handle fitted bottom of pan. Pan should be 120 lbs. per sq. inch hydraulic pressure and suitable for 60 lbs. per sq. inch working pressure	One
4.	Sets of cooling moulds—size 45" long×54" deep × 15⅝" wide. Working capacity approx. 10½ cwts.	
	Each set to consist of two special mild steel checks 45" long 54" deep×15⅝" thick, with one wood stiffender under top flange, one mild steel handle on each check.	
	Two special flanged mild steel end plates 54" deep × 15⅝" wide, with three fall bars and one mild steel handle on each end plate. One improved type deep recess base plate, mounted on axles and wheels	Four sets
5.	Additional Base Plates, for the above mentioned frames, on axles on wheels	Ten
6.	One Banjo Cutting apparatus, hand operated to be adjustable to cut slabs from 15⅝" soap blocks from 1" to 1·11/16" in thickness, complete with two mild steel drawing handles and one cutting wire fitted and three spare wires	One
7.	Patent hand operated multiple cutting machine to cut slabs 45" long×15⅝" wide×2" thick into tablets say 6"×2"×2" approx.	One
8.	Hand Stamper, of rigid construction, special attention being given to the design of the head which houses steel ram, balanced hand wheels are to be attached to forged steel can shaft to control the movement of ram	One

LABORATORY SOAP PLANT TO DEAL 500 LBS. TOILET SOAP PER DAY.

9.	Rotary chipping machine, single hopper type, standard type with cast iron pedestal, chute and hoppers should be heavily galvanised, adjustable cutting knives to be made of special cast steel and each alternate knife is to be made different type to ensure satisfactory soap chips which can be carried in thickness, fast and loose pulley drive and belt shifting gear. Output should be approx. 5 cwts. per hour, speed 150/180 r.p.m. with suitable motor	One
10.	One cwt. soap chip Amalgamator for mixing soap chips, colour, perfume, previous to milling. The machine to consist of U-shaped drum constructed of steel and C. I. end plates, the batch capacity of the machine to be approximately 1 cwt. Stirring gear to be provided on a central horizontal shaft and to be designed to give effective stirring and mixing in the least possible time. The shaft to be mounted at each end on G. M. bearings fixed into G. I. Trunion housings. The speed of the stirrer shaft to be approximately 30 r.p.m.	
	Enclosed reduction gear to be provided with the main driving shaft necessary bearings and V-belt drive.	
	Band operated tipping gear o the worm wheel and quadrant type to be fitted to the machine. The internal part of the container to be lined with nickel sheets and the shaft and stirring scrou to be metal sprayed or coated with a material to prevent rust and contamination	One
	Suitable motor to be included	One
11.	Soap plodding machine, having 6" dia. special alloy compression worm water cooled cylinder, electric heated nozzle, the cylinder housing work lined with stainless steel plate. Machine to be belt driven having suitable belt shifting gear	One
12.	Foot-operated cutter for cutting pieces of extruded bar from the plodder into suitable sizes for stamping	One
13.	Hand Stamper of frigid construction, balanced hand wheel to be attached to forged steel cam shaft which controls the movement of the ram. The ejector to eject the stamped soap on the return of the ram	One
14.	Three Roll Toilet Milling Machine type C III/3. The machine has to have three chilled cast iron rolls 8" dia.×20" long, with feed hopper earapped knife and its holder, delivery chute and the necessary water fittings and valves. The drive to be arranged by means of fast and loose pulley and belt shifting gear is to be provided.	
	Output—15 cwts. per 8 hour day triple milled, thickness and ribbons 12 to 15 thousands of an inch, speed of drive 190 r.p.m. with suitable motor	One

LABORATORY EQUIPMENT.

1.	Laboratory work tables 8'×5'×2½' with water and gas connections complete	20
2.	Gas plant (with Gas house and pipe connections)	One
3.	Water Tank of capacity of 50,000 gallons	One
4.	Analytical Balance, 200 grams capacity, sensitivity one-tenth milligram, complete with chemical scrop, balance illuminator and air drier	20
5.	Sets of Analytical weights, "A" quality, nickel plated brass, 1 mg. to 100 gram	20 sets
6.	Double Pan Rought Balance, 250 grams capacity sensitivity 0.01 gm.	Five
7.	Set of, 'Students" weights, 0·01 gm. to 100 gram.	5 sets
8.	Avery Scales, 7 lbs. capacity	Five
9.	Set of weights, 1 gm. to 1,000 gm. on wood block plus 2 loose 2 kgm. weights	5 sets
10.	Automatic Water Still, steam heated, capacity 2 gallons per hour	Two
11.	Drying Oven, vacuum type, electrically heated, approx. size 12"×12" temp. range 50° to 200° C.	Ten
12.	Drying Oven for moisture determination, size 14"×12"×12" temperature range up to 170° C.	Ten
13.	Electric Hot Plate, 3 heat control, size 18"×12"	Twenty
14.	Water Bath, approx. diameter 12"×12", electrically heated, automatic water feed, thermostatically	Twenty
15.	Laboratory Stirrer, motor driven, with variable speed control	Twenty
16.	Vacuum pump, motor driven, suitable for operation at 1 mm. Hg. absolute	Ten
17.	Titre Test Set, complete, for valuation of hardened vegetable oils, A.O.C.S. standard	Twenty
18.	Air Bath for Soxhlet extraction apparatus, electrically heated, 3 heat control, suitable for 3 tests	Twenty
19.	Sets of Soxhlet Extraction apparatus, each set consisting of extractor, condenser and flask with interchangeable ground glass joints. Extractor capacity 100 ml., Flask capacity 250 ml.	Twenty
20.	Box of Extraction Thimbles	Twenty
21.	Abbe Refractometer, suitable for testing oils and fats whose refractive indices range from 1.44 to 1.46, complete with constant	

Sl. No.	Particulars	Number required
	temperature water circulator with electrical heating, but without temperature correction drum and achromatising prism, One extra thermometer should be included ..	Five
22.	Sodium Lamp "Philora" type complete with accessories	Five
23.	Lovibond Tintometer, model No. 6 for vegetable oils, fats and waxes, complete with 60 red, yellow and blue slides, 12 neutral tint slides, ¼", 1" and 5½" cells and white light cabinet	Ten
24.	Polarimeter for determining the optical rotation of essential oils	Two
25.	Pyrex Beakers :—	
	(a) 150 ml. tall form, with spout ..	6 dozs.
	(b) 250 ml. do	12 ,,
	(c) 600 ml. low form, with spout	12 ,,
	(d) 1,000 ml. do ..	3 ,,
	(e) 1,500 ml. do	3 ,,
	(f) 400 ml. conical	12 ,,
26.	Pyrex Flasks :—	
	(a) 250 ml. conical	6 ,,
	(b) 500 ml. do	12 ,,
	(c) 500 ml. round bottom	3 ,,
	(d) 1,000 ml. do	3 ,,
	(e) 500 ml. do with side arm ..	6 ,,
	(f) 750 do do ..	6 ,,
	(g) 1,500 ml. flat bottom	3 ,,
27.	Graduated Flasks "B" quality :—	
	(a) 100 ml.	6 ,,
	(b) 250 ml.	6 ,,
	(c) 500 ml.	12 ,,
	(d) 1,000 ml.	6 ,,
28.	Filter Flasks heavy glass, conical with side tubes and rubber bung, 1,500 ml.	4 ,,
29.	Liebig Condensers :—	
	(a) 16" long	2 doz.
	(b) 32" long	2 ,,
30.	Pipettes "B" quality :—	
	(a) 5 ml.	1 doz.
	(b) 10 ml.	6 ,,
	(c) 25 ml.	6 ,,
	(d) 50 ml.	2 ,,
	(e) 100 ml.	3 ,,
31.	Burettes "B" quality—	
	50 ml.	9 ,,
32.	Separating Funnels pear shaped body, with stop cock :—	
	(a) 250 ml.	3 ,,
	(b) 500 ml.	6 ,,
33.	Filter Funnels :—	
	(a) 3" dia. Ribbed Glass	12 ,,
	(b) 6" dia. do	6 ,,
34.	Specific Gravity Bottles :—	
	(a) 50 ml. at 15.5 C.	3 ,,
	(b) 50 ml. at 38 C.	2 ,,
35.	Bottles :—	
	(a) 8 oz. clear glass, narrow mouth, stoppered	12 ,,
	(b) 16 oz. do do ..	12 ,,
	(c) 32 oz. do do	6 ,,
	(d) Winchesters, light green, narrow mouthed stoppered, 2½ litres	6 ,,
	(e) 100 ml. with groove in stopper for dropping	6 ,,
	(f) 4 oz. Kali 1¾" dia. × 5" high for samples with corks	36 ,,
36.	Desiccators, 8" dia. heavy glass, with cover ground to fit, complete with perforated zinc disc.	2 ,,
37.	Watch Glasses :—	
	(a) 3" dia. thin, clear glass	12 ,,
	(b) 4" dia. do	12 ,,
	(c) 6" dia. do	12 ,,
38.	Test Tubes, Pyrex with rim :—	
	(a) 12 mm. dia. × 100 mm. long	12 ,,
	(b) 16 mm. dia. × 150 mm. long	24 ,,
	(c) 25 mm. dia. × 150 mm. long	5 Gross
39.	Thermometers, ordinary type for chemicals :—	
	(a) 32° F to 212° F	2 dozs.
	. .	2 ,,

Sl. No.	Particulars	Number required
40.	Glass Tubing :—	
	(a) Capillary, best soda glass, 7 mm. dia .. .	10 lbs.
	(b) Glass rod 6 mm. dia.	10 ,,
	(c) Tubing, thin wall, 4 mm. dia. ..	10 ,,
	(d) do 7 mm.	10 ,,
	(e) Tubing, medium wall, 7 mm. dia. ..	10 ,,
	(f) do 12 mm.	10 ,,
41.	Filter papers :—	
	(a) No. 42, 12.5 cm. dia.	6 doz. box
	(b) No. 31 do	6 ,, ,,
	(c) No. 5, 24 cm. dia.	3 ,, ,,
42.	Gooch Crucibles, 29 mm. dia. ml. capacity Royal Worcester Porcelain	4 dozs.
43.	Rubber Cones, moulded with glass filtering tube, for use with Gooch Crucibles	4 ,,
44.	Crucibles, Royal Worcester Porcelain :—	
	(a) 19 ml. capacity, with lid	12 ,,
	(b) 50 ml. do	6 ,,
45.	Evaporating Basins, Royal Worcester Porcelain, flat form, with spout :—	
	(a) 85 mm. dia.	6 ,,
	(b) 127 do	6 ,,
	(c) 157 do	3 ,,
46.	Tripod Stands :—	
	(a) 8" high, circular top, 5" dia.	6 ,,
	(b) 8" high, triangular top, 5" dia ..	6 ,,
47.	Triangles, 2" side, iron wire, covered with pipe clay	12 ,,
48.	Wire Gauze, 6" × 6" tinned iron, within centre flat form	12 ,,
49.	Retort Stands iron sole, 7½" × 5", with 20" steel rod, screwed to fit, 3 malleable iron rings with open bosses, 2¼", 3¼" and 4" dia. and with medium clamp and bossheads ..	3 ,,
50.	Funnel stands for 2 funnels up to 3" dia. ..	3 ,,
51.	Spatulas :—	
	(a) Horn, 4" long	3 ,,
	(b) Stainless steel, 3" blade with wooden handle	3 ,,
52.	Rubber Tubing :—	
	(a) 3/16" i.d. black	300 Yds.
	(b) 5/16" do	300 ,,
	(c) ½" do	150 ,,
	(d) 3 mm. i.d. red, for pressure or vacuum work	300 Yds.
	(e) 7 mm. i.d. red, for gas work	300 ,,
53.	Bottle Brushes :—	
	(a) approx. 14" long	6 dozs.
	(b) approx. 24" long for burettes	6 ,,
54.	Crucible Tongs :—	
	(a) 8" long smooth, black iron	2 ,,
	(b) 15" do	2 ,,
55.	Burners :—	
	(a) Bunsen, 7/16" dia.	6 ,,
	(b) meker, 130 mm. high	1 ,,
56.	Cork Borers, Brass Tube, nickel plated, with red set of 9	2 sets
57.	Cork Borer sharpener	One
58.	Filter Pump Aspirators, metal	2 dozs.
59.	Files :—	
	(a) Triangular, 6" long	Three
	(b) Rat-tail, 6" long	Three
60.	Rubber Bungs, assorted, ⅝" to 1" dia. ..	4 gross
61.	Corks, assorted ⅜" to 1" dia.	4 ,,
62.	Dean and Stark Receiver	Ten
63.	Condenser (Allhins)	2 dozs.
64.	Chemicals	—

Dated 13th May 1950.

To

The Firms dealing in Electrical Materials.

Enquiry No. 9815—*E. D.* 1111.

Re :—Suspension and Strain Clamps required for Electrical Department.

Gentlemen,

No. S. P. C. 15561-600. With reference to the above and in continuation of this Office circular No. 12341, dated 18th April 1950, I write to state that the closing date of the above enquiry has been extended up to 6th June 1950.

Dated 18th May 1950.

Enquiry No. 9989.

—Pins and Corks.

ntlemen,

15240-49. Please be good enough to intimate ices and the earliest time of delivery for the scribed in the undermentioned schedule, in the below.

be distinctly understood that the acceptance by quotation will be subject to the following

l from the quotation after it is accepted or failure supply within the specified time or according to s will entail cancellations of the order and ng made at your expense from other sources in he levy of a penalty of 3 per cent of the value of and by way of liquidated damages. In such an tores Purchase Committee reserve the right to name from the list of approved firms.

tions should be superscribed "Quotations for rks for Medical Stores" with the above enquiry

ry will be closed on the 31st May 1950.

SCHEDULE.

cription of material offered	Quantity	Price quoted F. O. R. Bangalore	Time of delivery
mon 400 Mercut pins rds.	750 Sheets	...	...
orted as per samples Medical Stores, Sizes to 6.	160 Gross	....	...

Samples in triplicate should accompany your quotation.
ales-tax should be shown separately.

Dated 18th May 1950.

e Firms dealing in Irrigators' Brass.

Enquiry No. 9990.

Subject :—Irrigators.

entlemen,

15250-57. Please be good enough to intimate prices and the earliest time of delivery for the escribed in the undermentioned schedule in the below.

be distinctly understood that the acceptance by quotation will be subject to the following condi-

wal from the quotation after it is accepted or failure supply within the specified time or according to ns will entail cancellations of the order and being made at your expense from other sources in the levy of a penalty of 3 per cent of the value of and by way of liquidated damages. In such an Stores Purchase Committee reserve the right to r name from the list of approved firms.

tations should be superscribed "Quotations for with the above enquiry number.

iry will be closed on the 30th May 1950.

SCHEDULE.

cription of material offered.	Quantity	Price quoted F.O.R., Bangalore City.	Time of delivery
Brass, as per Hospital etc.	750	...	...

mple of Irrigator should accompany your quotation.
les Tax should be shown separately.
e quotations will be opened at 12 NOON on the next working day after the closing date.

Dated 18th May 1950.

ms dealing in Bandage Cloth, etc.

Enquiry No. 9991.

ject.—Bandage Cloth, etc., to the Medical Department.

Gentlemen,

15258-64. Please be good enough to intimate prices and the earliest time of delivery for the scribed in the undermentioned schedule, in the below.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Bandage Cloth to the Medical Department" with the above enquiry number.

This enquiry will be closed on the 1st June 1950.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R., Bangalore City.	Time of delivery
1	Cloth Bandage 36" in width, in length of 18 yards.	4,500 pieces	...	...
2	Cloth Dressing, long-cloth ...	2,500 yards	...	...
3	Cotten corded in 1 lb. packets ..	5,000 lbs.	...	...
4	Dusters 15"×15" ..	1,000 pieces	...	...
5	Towels 24"×30" ..	900	...	...
6	Gauge cloth ...	75,000 yards	...	...
7	Long cloth ...	5,000 yards	...	...

Note :—1. Samples in triplicate should accompany your quotation.
2. Sales-tax should be shown separately.
3. Quotations will be opened at 12 NOON on the next working day after the closing date.

1300

Dated 15th May 1950.

To

The Firms dealing in Steel Windows and Doors.

Enquiry No. 9995.

Subject :—Steel Windows and Doors for the Bangalore New Receiving Station.

Dear Sir/Gentlemen,

No. S.P.C. 15832-52. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Steel Windows and Doors for the Bangalore New Receiving Station," with the above enquiry number.

This enquiry will be closed on the 16th June 1950.

SCHEDULE.

		F.O.R. Bangalore	Quantity
	STEEL DOORS.		
1	2'—7" × 6' 6" ...	... No.	1
2	3'—9" × (6'—9" + 1'—3") ...	... ,,	1
3	3'—9" × (6'—9" + 2'—6") ...	... ,,	1
4	11'—0"× 9'—3" ...	... ,,	1
	STEEL WINDOWS.		
1	2'—2½" × 23'—4 7/8" high slit windows	... Nos.	2
2	4'—3½" × 3'—2½" high ...	... ,,	2
3	4'—3½" × 4' 8 7/8" high ...	... ,,	41

Specifications.

Steel Standard Sashes should be provided with flanged frame and lugs suitable for fixing in concrete having overal dimensions as noted in the enclosed copies of drawing Nos. PWP-35 and 36. The ventilators should be centre or top hung on bronze cup pivots as per sketch and fitted with spring catch for hand or cord operation. The sashes must be complete in all respects with glass of adequate thickness.

The doors however, may be of several types as specified in the drawing No. PWP-35. They may be single, double or four leaved. The first type is a single leaved door with both the panels of all sheet steel. Types 2 and 3 should each have a door way of 6'—9" high with a sheet steel panel at the bottom of each of the shutters. The rest are panels of glass. The topmost portion may be fixed panels of glass. The last type of door is four leaved opening at centre and hinged

The glasses to be supplied for both windows and doors should be wired cast glass ¼" thick.

The entire frame work for the door and windows should be of high finish and hot dip galvanised after manufacture.

You are requested to furnish full details of specification and descriptive pamphlets and photographs in support of your offer.

You should further quote on per Sq. ft. basis, f.o.r., Bangalore and specify the earliest delivery time which is the main factor in deciding the tender as these doors and windows are urgently required.

1385

Dated 15th May 1950.

To

The Firms dealing in Hose pipe.

Enquiry No. 9996.

Subject :—Hose Pipe required for the Fire Brigade.

Dear Sir/Gentlemen,

No. S.P.C. 15833-48. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Hose Pipe required for the Fire Brigade" with the above enquiry number.

The enquiry will be closed on the 1st June 1950.

SCHEDULE.

Description of material offered	Quantity	F. O. R
Flax canvas delivery Hose 2½" internal diameter and of 18 to 27 ply, with bursting preassure of not less than 450 to 500 lbs. per sq. inch.	2,000 Ft.	Bangalore

Note :—Only firm quotations will be preferred.
Samples, together with test reports may also be sent along with the quotations.
Sales-tax should be shown separately.
Quotations will be opened at 12 NOON on the next working day after the closing date.

1352

Dated 16th May 1950.

NOTICE.

Enquiry No. 9952.

Stationery Articles required for 1950.

No. S. P. C. ..... Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Stationery Articles up to 20th June 1950.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 12 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

1352b

Dated 16th May 1950.

NOTICE.

Enquiry No. 9951.

No. S. P. C. ..... Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Khaki Drill, Twill, White Drill, Cotton Rope, Zinc Buckets, Feeding Troughs, Canvas Shoes, Horse Brushes, Grooming Towels, etc., up to 12th June 1950.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 6 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

570

Dated 18th May 1950.

Enquiry No. 10001.

Subject :—Packing planks for use in the Serum I... the year 1950-51.

Dear Sir/Gentlemen,

No. S. P. C. 16138-49. Please be good enough ... your best prices and the earliest time of delivery f... rials described in the undermentioned schedule i... printed below.

It should be distinctly understood that the ... by us of your quotation will be subject to th... conditions :—

Withdrawal from the quotation after it is accepte... to make the supply within the specified time or ... specifications will entail cancellations of the orde... chases being made at your expense from other ... addition to the levy of a penalty of 3 per cent of ... the order as and by way of liquidated damages. ... event, the Stores Purchase Committee reserve ... remove your name from the list of approved firms.

The quotations should be superscribed "Quo... Packing planks for use in the Serum Institute ... above enquiry number.

This enquiry will be closed on the 5th June 19...

SCHEDULE.

Item No.	Description of material offered.	Quantity	Price q... F.O.R. Bangalor...
1	Packing planks, Burga whiteceder	4,000	.....
	Red ceder wood cut in pices of 25"×11½"×½" and 10"×11½" ×½" (suitable for packing)	2,000	.....

Note :—1. In case your quotation is accepted, the supply s... in two instalments.
2. Quotation will be opened at 12 NOON on the nex... after the closing date.
3. Sales-tax should be quoted separately.

1426

Dated 19th May 1950.

To

The Firms dealing in Paints and Varnish.

Enquiry No. 10002.

Subject :—Paints and Varnish required for Gov... Electric Factory, Bangalore.

Gentlemen,

No. S. P. C. 16149-69. Please be good enough ... your best prices and the earliest time of deliver... materials described in the undermentioned sche... form printed below.

It should be distinctly understood that the ac... us of your quotation will be subject to the follow... tions :—

Withdrawal from the quotation after it is accepte... to make the supply within the specified time or a... specifications will entail cancellations of the order ... chases being made at your expense from other ... addition to the levy of a penalty of 3 per cent of th... the order as and by way of liquidated damages. I... event, the Stores Purchase Committee reserve th... remove your name from the list of approved firms.

The quotations should be superscribed "Quo... Paints and Varnish required for Government Electr... Bangalore" with the above enquiry number.

This enquiry will be closed on the 5th June 1950.

SCHEDULE.

Item No.	Description of material offered	Quantity required.	P...
1	Battleship Grey Paint ...	200 gallons.	
2	Aluminium Paint ...	50 ,,	
3	Aluminium Powder ...	75 ,,	

N. B.—(1) The Test Certificates of paints and varnish shou... the quotations.
(2) Quotations with firm prices and from ready ... preferred.
(3) Sales-tax should be quoted separately.
(4) The quotations will be opened at 12 NOON o...

Dated 19th May 1950.

To

The Firms dealing in Armoured Hose Pipes.

Enquiry No. 10,005.

Subject :—Outside Armoured Hose Pipe to Chikmagalur Division.

Dear Sir/Gentlemen,

No. S.P.C. 16257-77. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Outside Armoured Hose Pipe to Chikmagalur Division," with the above enquiry number.

This enquiry will be closed on the 30th May 1950.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F. O. B. Chikmagalur	Time of delivery
1	Outside Armoured Hose Pipe 6" size—6" × 3 ply.	40 R.ft.	...	...

1 Quotations with firm prices are preferred.
2 The material is required for immediate delivery.
3 Sales-Tax may be quoted separately.

1427

Dated 20th May 1950.

To

The Firms dealing in Press, Miscellaneous Stores.

Enquiry No. 10,004.

Subject :—Press Miscellaneous Stores for 1950-51.

Dear Sir/Gentlemen,

No. S.P.C. 16236-56. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Press Miscellaneous Stores" with the above enquiry number.

The enquiry will be closed on the 15th June 1950.

SCHEDULE.

		F.O.R. Bangalore. Quantity
1	(a) Jobbing Ink a dense black ink easy of distribution and not liable to fill up the type with good drying qualities and covering capacity No. 518 (Nanco) Ganges No. 2 Black-John Kidds—Hooghly.	2,000 lbs.
	(b) Book Works Ink Possessing superior qualities than the above.	500 lbs.
2	Printer's Roller Composition. Good quality Glue-glycerine composition possessing good inking qualities throughout the year and hard enough without melting when used of high speed Cylinder Printing Machines. (1) 'Superb' (2) 'Witerea' (3) 'Manders' (4) 'Elephant' (5) 'Kidds'.	800 lbs.
3	Calico or Binder's Cloth ... ... The base cloth would have a fine close texture and the composition and grains evenly laid. The colouring being bright and not easily dislodged by glue or paste. 36" width about 20 yards a roll. 'Kitab' 'Diamond' 'Winterbottom'.	1,500 yards
4	Binder's Stitching Twine. Superior quality fine linen thread of even texture used for binding purposes Cat Brand.	360 Rolls
5	Book sewing thread. Best quality linen machine thread No. 40/3, 4 drab in 2 oz. of cops for book sewing machine. William barbour.	20 lbs.
6	Steel Stitching wire for stitching books. 21 × 25 Flat ... ... 21 × 24 Flat ... ... No. 24 Round ... ... No. 25 Round	25 coils 25 " 10 " 10 "

N.B.—Samples in triplicate should accompany your quotations. Sales-tax should be shown separately.

1425

Notification dated 16th May 1950.

Statement of Orders placed by the Stores Purchase Committee both in India and Foreign Countries during the week ending 13th May 1950.

Sl. No.	Enq. No.	L.I. No.	Date	Department	Description of Articles	Names of the Firms	Amount Rs. a. p.
1	9851	10640 Extn.	9th May 1950	Executive Engineer, Tumkur Division.	Wheel Barrows,	Richardson and Cruddas Ltd., Madras...	588 0 0
2	9831	10435	Do ...	Controller of Stores, Mysore State Railway.	Miscellaneous Articles.	Kumar Stationery House, Bombay ...	2,486 0 0
3	9931	10641	11th May 1950	Military Department ...	Feed Articles ...	Krishna Flour Mills, Bangalore ..	21,554 0 0
4	9879	10642	Do	Executive Engineer, Water Supply Division.	Supply of Pig Lead.	Best and Co., P. B. 63, Madras ...	13,000 0 0
5	9906	10643	Do ...	The Superintendent of Stamps.	Fire Extinguishers.	Parry and Co., Madras ...	600 0 0
6	...	10644	Do ..	Executive Engineer, Bangalore Division.	Levelling Instruments.	Government Electric Factory, Bangalore.	5,820 0 0
7	9840	10645	Do ...	Director of Sericulture ...	Supply of Motor Car.	Shanti-kiran Motors, Bangalore—1 ...	14,750 0 0
8	9944	10646	12th May 1950	Government Soap Factory	Supply of Cocoanut Oil.	K. Chandrasekariah and Sons, Bangalore,	78,960 0 0
						Grand Total ...	11,7758 0 0
				FOREIGN ORDERS.			
1	...	8900	11th May 1950	Metrologist to Government.	Metrological Charts.	Order placed through the Trade Commissioner for Mysore in London.	500 0 0 approximately

1353

LOUIS DE SOUZA,
Secy., S.P.C.

ENGINEERING DEPARTMENT

OFFICE OF THE CHAIRMAN, CITY IMPROVEMENT TRUST BOARD, "RANGA VILAS" SESHADRI ROAD, BANGALORE.

Notification dated 16th May 1950.

Sealed tenders will be received by the Chairman, City Improvement Trust Board, Bangalore up to 4 P.M. on 5th June 1950, for "Forming a Layout in the Jayamahal Grounds, Bangalore".

2. The estimate amount will be Rs. 1,79,000 the tender form can be had from the office on payment of annas four per form. Tenders offering on percentage basis on the estimated amount will be rejected. Tenderers must quote their rates against the items in the abstract form both in figures and words. No consideration will be given to any application for enhancement of rates during execution of works for the tendered items.

3. Each tender shall be accompanied by a countersigned Treasury Challan for having credited a sum of Rs. 5,000 to the Bangalore District Treasury, Bangalore, towards earnest money deposits under "V Local and other funds 10 (d) Bangalore City Improvement Trust Funds" for the works and the tender should be superscribed as "Tender for forming a layout in the Jayamahal Grounds, Bangalore". On acceptance of the tender of the successful contractor a further amount of Rs. 4,000 must be deposited to make up the 5 per

4. The final acceptance of the tender will rest with the Government of Mysore, who do not bind themselves to accept the lowest tender or to assign any reason whatsoever for the rejection of any tender or all the tenders.

5. Stipulated progress must be given from the very commencement of the work failing which the contractor is liable to be fined, and to forfeit his earnest money and finally his contract being cancelled without further notice.

6. Items not provided for in the estimate will be calculated on schedule of rates in current or as per data worked out during the execution of work.

7. The work is to be completed by the end of December 1950.

8. Quantities given are not guaranteed.

9. Controlled articles such as Steel, Cement, etc., will be supplied by the Department if, available and usual centage will be charged.

10. The tender amount will be forfeited to the Board if the tenderer backs out after his tender is accepted or if he fails to execute the work satisfactorily in time and also the contract is liable to be cancelled. If the contract is cancelled and other arrangements are made for the execution or completion of the work, the tendered contractor will also be held liable for any loss or extra amount of expenditure that may have to be incurred or paid to other agency executing the work.

11. Further details, if required, may be obtained from the Engineer Officer of the City Improvement Trust Board, Bangalore, during office hours on all working days.

12. Tenders with conditional clauses will not be accepted.

N.B.—Quarrying in the area will be restricted.

201 R. MADHAWAN, *Engineer Officer.*

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE EXECUTIVE ENGINEER, BANGALORE ELECTRICAL DIVISION.

Notification dated 19th May 1950.

Sealed tenders will be received in the Office of the Executive Engineer, Electrical Division, Bangalore, up to 4 P.M. on 22nd June 1950, for the following works :—

Name of work	Amount of Estimate	Earnest money	To be completed	Months progress.	Remarks
Constructing one unit of double block of operation quarters with latrine at Mandya.	Rs. 10,300	Rs. 500	Six months	Rs. 1,700	.....

1. Tenders with earnest money noted above should be submitted for the works noted.

The contractor shall quote for each individual item of work in the estimates and the rates as quoted shall hold good if the tender is accepted within three months from the date of tender.

2. Plans, estimates and other particulars, etc., can be had for inspection in the Office of the Executive Engineer, Electrical Division, Bangalore, on all working days between 2 P.M. and 5 P.M.

3. The successful contractor shall bind himself to abide by the departmental rules in force and shall execute the necessary mutchalika within seven days of receipt of intimation regarding acceptance of his tender, failing which his earnest money will be forfeited.

4. Tenders will not be considered unless they are in the form which will be supplied on payment of Re. 0-4-0 at the Office of the Executive Engineer, Bangalore Electrical Division.

5. Each tender shall be accompanied by a chellan for earnest money paid at a Government Treasury under "36 (1) Electrical Remittances, Payments into Treasuries by Electrical Departmental Offices".

6. The final acceptance of the tender will rest with the Superintending Engineer. For non-tendered items of works, the minimum schedule of rates will be given, if the items should be scheduled items, otherwise rates arrived at from data sheets as per actuals with 10 per cent contractor's profit will be given.

7. Conditional tenders will be accepted.

8. Sales-tax will have to be paid by the contractor.

9. The centage charges will be 15 per cent for materials to be supplied by the department.

10. No petrol or lorry will be given. The contractor must make his own arrangements.

11. No cheques will be accepted for earnest money.

1454

Brief notification dated 20th May 1950.

The attention of the public is invited to the detailed notification inviting sealed tenders for the construction of the following buildings as noted below :—

Sl. No.	Name of Work	Amount of Estimate.	No. of Blocks	Earnest money	Monthly progress.	To be completed in Months.
	At Head works (Sivasamudram)	Rs.		Rs.		
1	Line men quarters, Twin Block ...	14,000	2	700	2,336	6
	At Boppegowdanpura					
2	Linemen, quarters Twin Block ...	14,000	2	700	2,330	6
	At Talkad					
3	One double block of quarters for Line Inspector and one for Accounts Clerks.	12,000	1	600	2,000	5
4	Line man quarters, Twin Block ...	28,000	4	4,660	1,400	6
5	Station, Office and Stores ...	6,000	1	300	1,000	6

Published in Page No. 492 of the *Mysore Gazette* dated 11th May 1950.

The last date for receipt of tender is extended up to 4 P.M. on 8th June 1950. Duplicate chellan for having credited the earnest money under "36 (1) Electrical remittances payments into treasuries" has to accompany the tender.

M. S. MADHAVA RAO,
1449 *Executive Engineer.*

MISCELLANEOUS DEPARTMENT

OFFICE OF THE DIRECTOR OF AGRICULTURE IN MYSORE, BANGALORE.

Notification dated 22nd May 1950.

It is hereby notified that the Notification dated 10th May 1950 issued by the Assistant Director of Agriculture, Shimoga Circle, Shimoga and published in Page 531, Part VI, of the *Mysore Gazette*, dated 18th May 1950, calling for tenders for transport of seeds, manures and implements and sprayers and chemicals is cancelled.

K. H. SRINIVASAN,
1452 *Director.*

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER TO THE GOVERNMENT OF MYSORE, BANGALORE.

Notification dated 22nd May 1950.

No. G. N. 9. Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 12 NOON, on 12th June 1950, for the supply of the following materials. The terms of delivery being *f.o.r.*, Bangalore City.

Sl. No.	Name of meterial	Quantity
1	Copper bus bars 4" x ¼" size, for use for buses in Power Stations.	500 Feet.
	NOTE :—Tenderers should furnish the following particulars. (a) Weight per foot. (b) Sectional area. (c) Current carrying capacity. (d) The maximum and minimum lengths in which the bars are available as also the standard lengths. The bus bars should be of the best annealed copper without any twist, blow holes, etc., and having density, conductivity and other properties in conformity with the latest B.S.S. or A.I.E.E. standards.	
2	Tape cambric ½" size	500 Rolls.
3	Do ¼" size	500 „

The tenderers should quote their billing prices, which should be firm for a period of one month from the due date of the tender. The rate should be quoted both in figures and words. The earliest period within which delivery would be effected may be specified in the tender.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money.

f any. The successful tenderer should, if so required by us, leposit a sum equal to 5 per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in he order.

The Chief Electrical Engineer does not bind himself to accept he lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in the department for local purchases.

The tenders should be superscribed as "Tender for supply of copper bus bars, etc., to be opened on 12th June 1950.

1407 K. VEDANTHIENGAR, For *Chief Elecl. Engr.*

OFFICE OF THE COMMISSIONER FOR FOOD PRODUCTION IN MYSORE, BANGALORE.

Notification dated 19th May 1950.

No. F. C. 882—50-1. Sealed tenders duly signed by the Tenderer superscribed on the top of the cover containing the tender, "Tender for the transport of Iron Materials" will be received in the Office of the undersigned up to 3 P.M. on 26th June 1950, for the work of loading and unloading and transport of iron materials, and other agricultural implements from the Railway Stations, Bangalore City and Civil Stations, to the Central Implement Depot, situated in the premises of the Office of the Director of Agriculture in Mysore, Bangalore, and from the above Central Implement Depot to the Railway Stations, Bangalore City and Civil and Military Station, or to any other agricultural depot within the municipal urisdiction of the newly constituted corporation, comprising the old Municipal area of Bangalore City, and the Civil Station.

2 Each tender must be accompanied by an earnest deposit of Rs. 500 (Five hundred) duly deposited to Revenue Deposit in the name of the Commissioner for Food Production and the treasury challan for having credited to the nearest Government Treasury, the above-said receipts for Rs. 500 should be enclosed with the tender.

3 The above sum will be earmarked as an earnest money for the satisfactory execution of the contract, the duration of which will be for a period of 11 months from 1st July 1950, and the deposit of unsuccessful tenderers will be refunded.

4 Two rates may be quoted in the Tender:—

(1) For transport of the Iron Materials from and to the places as mentioned in condition 1 *supra* inclusive of both unloading from the waggon, and loading to the lorry, transport to the destination, then unloading and stocking them in a countable form within the premises of the Depot Yard under the direction of the Sales Manager, in the contractor's own lorry, with his petrol and his men, and in case of transport to outside Bangalore from the Central Implement Depot, the same operations will have to be carried out until the materials are stocked in the wagon, rate may be given if the contractor engages his own lorry with his petrol and men.

(2) The several operations in the course of transport with regard to loading and unloading, and stocking as enunciated in condition 4 (1) remaining the same, the rate for transport in the lorry provided by the Department with Petrol and Driver may be given.

5 Whenever Contractor's lorry is engaged the cost of petrol will be met by the Contractor. Petrol coupons necessary will be given by the Department.

6 The departmental lorries will be placed at the disposal of the Contractor for the *bona fide* purpose of transport of the material by the Agricultural Engineer, on the requisition of the Headquarters Assistant to the Commissioner, in charge of the Central Implement Depot or the Sales Manager.

7 The Unit for the quotation of rates is one ton of weight for all bulk supplies; and each article like plough, and such other things, if they are not easily susceptible of weighment in tonnage. The usual rate will always be for tons.

Most of the articles to be transported in general are detailed below:—

1 Jaggery boiling pan.
2 Ploughs of several denominations.
3 M. S. Flats, Rounds, etc.
4 Iron Sheets.
5 Axes, mumties, and other garden implements.
6 Zinc sheets and barbed wire.

The list is only by way of example and not exhaustive. Any other Iron Material that may be sent out of and brought into the Central Implement Depot should be transported by the Contractor.

8 The successful Contractor or his duly authorised agent will have to report daily at 11 A. M. to the Sales Manager and take orders from him as to the movements required to be done on that day, and work under his direction.

9 The consignment should be cleared very promptly on the very day of arrival itself, so as to avoid losses like demmurage, wharfage, etc. Any charges that may be incurred on account of the delayed clearance will be assessed to the Contractor.

10 The Tender will be opened by the Headquarters Assistant to the Commissioner for Food Production at 4 P.M. on 26th June 1950. The successful tenderer will be intimated the result of the tender application.

Such of the tenderers who desire to be present at the time of opening the tenders are welcome to do so.

11 The successful tenderer will on intimation, please execute within three days, an agreement on the required stamp paper, binding himself to carry out the transport contract as per the conditions noted above and to enter upon the contract with effect from 1st July 1950.

12 Default in the observance of the conditions of the contract will entail forfeiture of the deposit amount and other civil liabilities in addition to forfeiture.

13 The undersigned reserves the right to accept or reject the tender of any particular tenderer without assignment of any reasons therefor and his decision in the disposal of the tenders is final.

1422 M. K. APPAJAPPA,
Commr. for Food Production.

OFFICE OF THE HEAD MASTER GOVERNMENT CENTRAL HIGH SCHOOL, BANGALORE.

Notification dated 19th May 1950.

No.2. Jack fruits about 50 in number which are on the Jack fruit tree just behind the school building will be publicly auctioned on Thursday the 1st June 1950, at 3 P.M. in the premisses of the Government Central High School, Bangalore. Intending bidders are requested to be present in the school in time on the auction day. Usual rules of auction will be f llowed. The successful bidder should make his own arrang ment to pluck the fruits and take them. If he intends leaving some unplucked for a time he should make his own arrangements to watch them.

1452 H. MAHABALIAH, *Head Master.*

PRIVATE ADVERTISEMENTS

THE BANK OF MYSORE, LTD., BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 12th May 1950, published under Article 141 of the Articles of Association :—

LIABILITIES.	Rs.	ASSETS.	Rs.
To Capital Receipts	50,00,000	By Cash in hand and at Bankers ..	1,87,57,172
„ Reserve Fund	83,50,000	„ Loans and Cash Credit Accounts ..	5,04,69,957
„ Public and other Deposits	9,11,54,333	„ Bills discounted and purchased ..	72,73,512
„ Sundries	13,30,15	„ Investments	2,70,17,111
„ Bills for collection (*per contra*) ..	43,64,945	„ Balance at Agencies	...
		„ Dead Stock	18,93,214
		„ Sundries	4,23,522
		„ Bills receivable (*per contra*) ..	43,64,945
(Annas and pies omitted) Total ..	11,01,99,433	Total	11,01,99,433

BANGALORE, B. V. NARAYANA REDDY.

191 *Dated 17th May 1*

" I intend moving the Honourable High Court of Mysore to enrol me as an Advocate thereof."

Tumkur HANUMANTHAIAH.

183

LOST.

The following Mysore Government Promissory notes :—

4 per cent 1953–63 Mysore Bond	No. E. 000476	for Rs. 500
Do do	F. 001220	for Rs. 1,000
Do do	F. 001221	for Rs. 1,000
5 per cent 1955 Mysore Bond.	No. E. 000010	for Rs. 500

standing in the name of the Imperial Bank of India, the proprietor, by whom it was never endorsed to any other person, having been lost, notice is hereby given that payment of the above Notes and the interest thereupon has been stopped by the Comptroller, Government of Mysore, and that application is about to be made for the issue of duplicates in favour of the proprietor. The public are cautioned against purchasing or otherwise dealing with the abovementioned Securities.

Name of person notifying :—IMPERIAL BANK OF INDIA.

128 Residence :—BANGALORE.

OFFICE OF THE SENIOR SURGEON IN MYSORE, BANGALORE.

Memo dated 24th March 1950.

No. C. 2563-1. The name of Sri C. Lakshmiah, Assistant Surgeon, Class II, in charge of the Local Fund Dispensary, Kadaba, is at his own request changed to Sri C. Lakshmish.

B. JAYARAM,
Senior Surgeon.

196

STOLEN.

The following Government of India Five-year Interest-free Prize Bonds, 1949 for the face value of Rs. 1,400 (Rupees one thousand and four hundred only) having been stolen, notice is hereby given that an application has been made to the Manager, Reserve Bank of India, Public Deft Office, Bombay for the issue of duplicate in favour of the :—

Series	Number	Amount Rs.
A	000086—086	200
B	055711—712	200
B	096070—074	600
A G	074128—177	600
Total		1 400

Name of the person notifying : H. C. B. Swamy, Proprietor,
Address : c/o The Modern Electric House, No. 24, Thambu Chetty Road, Cox Town, Bangalore.

179

OFFICE OF THE PUBLIC SERVICE COMMISSIONER FOR MYSORE, "UNITED INDIA" BUILDING, BANGALORE.

NOTICE OF VACANCIES.

Notification No. 1459—50-51—*P.S.C., dated* 15*th May* 1950.

It is hereby notified for the information of candidates seeking employment that the following vacancies will be filled shortly. Intending candidates should submit their applications, in duplicate, in the prescribed form to the undersigned together with copies of testimonials, if any, on or before the date specified against each vacancy. Candidates in service should submit their applications through their official superiors and those applying for more than one vacancy should submit separate applications in duplicate in respect of each vacancy. Vacancies under "A" Class are open to candidates of all communities and the best qualified applicants for the same will generally be selected. Vacancies under "B" Class are reserved for candidates belonging to Backward Communities and the best qualified applicants from among them will generally be selected.

N.B.—(1) No notice will be taken of applications not submitted by the due date in the prescribed form or of those which, though in the prescribed form, do not furnish all the particulars required in the various columns or of those not referring to any specific vacancy advertised in the Gazette.

(2) The serial number of the vacancy applied for should be quoted at the top of the application in bold figures and application should always be addressed to the Public Service Commissioner for Mysore, Bangalore, and not to his personal address by name.

(3) Candidates already in service, whether permanent or temporary should apply through their official superiors. Applications received direct from such candidates will not be considered.

(4) Candidates must be Mysoreans by birth or domicile. Where an applicant claims to be a domiciled Mysorean, a certificate from Gazetted Officer of the Mysore Service showing the ground for the claims should be enclosed.

LAST DATE FOR RECEIVING APPLICATIONS : 2ND JUNE 1950.

Sl. No.	Name of office	Designation of appointment	Pay of appointment	Qualifications required of candidates	Duration of the vacancy
		"A" OR "GENERAL" VACANCIES (OPEN TO ALL COMMUNITIES).			
			Rs.		
197	Office of the Director of Agriculture in Mysore, Bangalore.	Maistry, Somanahally School ...	30—1—40	Fieldman's Training	Temporary
198	Office of the Deputy Commissioner, Hassan District, Hassan.	Attender, Municipal High School, Saklespur.	25—1—30	M. S. or V Form Course ...	Longstanding

"B" OR "SPECIAL" VACANCIES (RESERVED FOR BACKWARD COMMUNITIES).

				Rs.			
129	Office of the Commissioner of Labour in Mysore, Bangalore.	Inspector of Shops and Establishments, Kolar Gold Fields.	60-5-90—3—120-10-180.	A graduate of the Mysore or any other recognised University.	Permanent	(a)
130	Do do ...	Inspector of Shops and Establishments, Davangere City.	Do ...	Do do ...	Do	(a)
131	Do do ...	Inspector of Shops and Establishments, Shimoga Town.	Do ...	Do do ...	Do	a)
132	Office of the District Educational Officer, Tumkur.	Carpentry Instructor Government Old Middle School, Tumkur.	40—2—50—3—80.	M. S. and Diploma in Carpentry ...	Do	(b)
133	Office of the Superintendent of Sericulture in Mysore, Bangalore.	Mechanic	50—5—100	Diploma in Mechanical Engineering (Higher Grade) with an experience of two years in workshops or a fitter with 15 years' experience in workshops and working experience in Refrigeration.	Permanent	
134	Office of the Superintendent of Land Records in Mysore, Bangalore.	Darfterband, Office of the Superintendent of Land Records, Survey and Settlement in Mysore, Bangalore.	25—1—30	M. S. or V Form Course ...	Longstanding	
135	Office of the Director of Agriculture in Mysore, Bangalore.	Maistry, Somanahally School ...	30—1—40	Fieldman's Training	Temporary	

Remarks:—

(a) Preference will be shown to those who have executive experience.
(b) Preference will be given to trained Teachers.

The following vacancies are cancelled:—
Special vacancy No. 1239—50-51, published in this office Notification No. 17169—49-50 P. S. C., dated 7th February 1950.
Do No. 1236—50-51, do do do do do

1249

Notification No. 1900—50-51—*P.S.C., dated* 22*nd May* 1950.

LAST DATE FOR RECEIVING APPLICATIONS—9TH JUNE 1950.

Sl. No.	Name of office	Designation of appointment	Pay of appointment	Qualifications required of candidates	Duration of the vacancy
			Rs.		
	"A" OR "GENERAL" VACANCIES (OPEN TO ALL COMMUNITIES).				
186	Office of the Director of Public Health in Mysore, Bangalore.	Driver, World Health Organisation Centre, Sagar.	45—2—65	Motor Driving Licence and knowledge of motor mechanism.	Temporary
187	Office of the Superintendent of Land Records in Mysore, Bangalore.	Darfterband, District Survey Office, Shimoga.	25—1—30	M. S. or V Form Course of a recognised High School.	Longstanding
	"B" OR "SPECIAL" VACANCIES (RESERVED FOR BACKWARD COMMUNITIES)				
138	Office of the Deputy Commissioner, Hassan District	Attender, Municipal High School, Hassan.	25—1—30	M. S. or V Form Course of a recognised High School.	Do
139 to 140.	Office of the Director of Public Health in Mysore, Bangalore.	Two Drivers	45—2—65	Motor Driving licence and knowledge of motor mechanism.	Temporary
141	Do do ...	Mechanic, Malaria Investigation Centre, Sagar.	50—5—100	Diploma Holder in Mechanical Engineering and experience in Automobile Mechanics.	Permanent
142	Office of the Director of Industries and Commerce in Mysore, Bangalore.	Carpentry Instructor, Ramanagaram.	40	L. S. and five year's training in C. T. Institute, Mysore or in any other recognised Industrial Institute.	Longstanding

The special vacancy No. 1590—49-50, published in this office Notification No. 18128—49-50—P. S. C., dated 27th February 1950 is cancelled.

By Order,
S. DEVARAJ,
Secretary to the Public Service Commissioner.

1459

Notification No. 1905—50-51—*P.S.C.* 27-50-3, *dated* 22*nd May* 1950.

RECRUITMENT OF CANDIDATES TO THE DEPARTMENT OF LAND RECORDS, SURVEY AND SETTLEMENT FOR SURVEY TRAINING.

1. A batch of 60 men will be recruited by selection for Survey Training for a period of 12 months. Of the 60 seats 45 will be reserved for candidates of Backward Community classes and the remaining 15 will be thrown open to all classes.

2. Applications in duplicate in the form attached are invited from candidates possessing the required qualifications for admission to "Survey Training Class" in Bangalore.

3. Applicants should not be above 25 years of age in the case of Brahmins and 28 years of age in the case of Backward Communities. Candidates who pass the maximum age limit on 1st July 1950, need not apply.

4. Applicants must be Mysoreans by birth or domicile.

5. The minimum qualification will be a pass (E. P. S.) in the S.S.L.C. Examination. Copies of all certificates and testimonials must be appended.

6. Applicants with Drawing as Optional Subject for S S.L.C. would be preferred.

7 Applicants must have good physique for field work and should be prepared to serve in any part of the State. Candidates selected for admission should produce a Medical certificate of physical fitness from a Medical Officer not below the rank of an Assistant Surgeon.

8. The tution fee for the entire course of training would according to the department syllabus prescribed be Rs. 100. A sum of Rs. 20 should be credited to any Government Treasury, the receipt being sent with the application and the remaining tution fee after admission will be recovered in monthly instalments of Rs. 8 during the first 10 months of the course. Candidates whose applications are rejected can get back the amount by refund (within one month of rejection).

9. An examination would be held during the last fortnight of the course.

10. Each selected candidate must bear his maintenance and travelling charges throughout the period of training and equip himself with necessary books and instruments.

11. Those who secure a pass in the Examination would be eventually employed as temporary Surveyors in the Department on a pay of Rs. 50 in grade Rs. 50—3—80—4—100 in the first instance with a "Fixed Travelling Allowance" of Rs. 10 per mensem in Maidan and Rs. 13 per mensem in Malnad while they are on field duty and with the Dearness Allowance admissible under rules from time to time.

12. No scholarship or stipend will be paid during the period of training.

13. Applications should reach the undersigned on or before 23rd June 1950.

14. Applicants when called upon

16. The selected candidates will be required to produce the necessary certificates and to execute an agreement binding themselves to serve the Department for a period of at least 5 years.

By Order,
S. DEVARAJ,
Secretary to the
Public Service Commissioner.

FORM OF APPLICATION FOR ADMISSION TO THE SURVEY TRAINING CLASS, BANGALORE.

1. Name in full ... ...
2. Father's name ... ...
3. Age and date of birth ... ...
4. Caste or community ... ...
5. Whether a Mysorean by birth or domicile ...
6. Whether Treasury receipt for Rs. 20 is attached ...
7. Qualifications ... ...
8. Residence and address ... ...
9. Reference to copies of testimonials attached ...
10. Any other particulars which the applicant wishes to state.

LIFE INSURANCE IS A HUSBAND'S DUTY,

A WIFE'S RIGHT AND A CHILD'S CLAIM.

MYSORE GOVERNMENT INSURANCE DEPARTMENT.

Absolute Security - -
Low Premium - -
Highest Bonus - -

FUNDS EXCEED Rs. 3,00,00,000
Claims Paid Rs. 1,00,00,000
Lowest Expense Ratio

PUBLIC BRANCH

INSURE TO-DAY

Transacts Motor Insurance Business also at Competitive Rates.

Please Enquire :—

Telegram : "INSEC" Telephone : No. 2918.

The Secretary,
Mysore Government Insurance Department,
Bangalore.